| POPULATION ESTI | MATES | LONG-TERM CARE | | LOCAL HEALT | TH DEPARTM | MENTS |
|---|----------------------------------|---|------------------------------------|--|----------------------|-----------------------|
| Total 2004 Population 25,540 Population per square mile 33 | | Community Options and MA V as HSRS reports costs for | Staffing - FTE | Number | 10,000 Population | |
| County ranking in state | e (1-72) 45 | Clients COP 7 MA Waiver * | Costs \$112,633 | Administrative Public health nurse | 2.0 es 4.2 | 4.9 0.8 1.6 |
| Age Female Ma: 0-14 2,260 2,4 15-19 850 9 | Le Total 10 4,670 50 1,810 | MA Waiver * CIP1A 9 CIP1B 29 | \$388,336 \$597,864 | Total staff Administrative Public health nurse Other prof. staff Technical/Paraprof. Support staff | 2.8 0.8 2.6 | 1.1 0.3 1.0 |
| 15-19 850 96 20-24 680 76 25-29 650 66 30-34 650 66 | 1,440 30 1,280 90 1,350 | MA Waiver * CIP1A | \$252,866 \$545,944 \$80.326 | Funding Total | \$892.728 | Per capita \$35.05 |
| 35-39 820 80 40-44 1,020 1,0 45-54 1,860 2,0 | 00 1,620 70 2,090 50 3,910 | Brain Injury 4 Total COP/Wvrs 127 | \$185,307 \$2,163,275 | Local Taxes | \$383,414 | \$15.05 |
| 55-64 1,580 1,56 65-74 1,120 1,10 | 30 3,100 | \$184,649 of the above were paid as local match, | vaiver costs overmatch | | | |
| 75-84 790 66 85+ 430 18 Total 12,700 12,8 | 60 1,450 30 610 | using COP funds. This an not included in above COF | nount is | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming | 3,173 | 6 39 33 |
| Age Female Ma | le Total | * Waiver costs reported hinclude federal funding. | iere | L0012 | 33 | 20 |
| 0-17 2,750 2,96 18-44 4,180 4,36 45-64 3,440 3,56 | 8,550 30 7,010 | Clients Eligible and Waiting 75 | Costs | Restaurants Vending | | 170 0 |
| 65+ 2,340 1,94 Total 12,700 12,83 | 4,270 30 25,540 | Waiting 75 (Family Care not provided | | WIC PAR | TICIPANTS | |
| Poverty Estimates for 200 Estimate | $(C T \perp /)$ | | , | | | Number |
| All ages 2,462 10.1% Ages 0-17 812 13.1% | 132 (5%) 62 (8%) | Note: Eligible and waiting will be phased into the Waivers as available. | g clients COP and MA | Pregnant/Postpartum Infants Children, age 1-4 Total | | 393 |
| EMPLOYMENT | | | | CANCER INC | IDENCE (20 | , |
| Average wage for jobs cover by unemployment compensations (place of work) | ion \$28,377 | Home Health Agencies Patients Patients per 10,000 pop. | 313 | Primary Site Breast Cervical Colorectal | , | , 15 1 19 |
| Labor Force Estimates | Average | Nursing Homes Licensed beds | 3 196 | Lung and Bronchus Prostate | | 35 23 |
| Civilian Labor Force Number employed Number unemployed | 13,176 12,342 834 | Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population | 98.5% 192 | Other sites Total | | 77 170 |
| Unemployment rate | 6.3% | per 1,000 population | 44 | Note: Totals shown a invasive cance | | |

| | | | NATA | ALITY | | | | |
|---|--------------------------|-----------------|---|-----------|---------------|--|-------------|----------------|
| TOTAL LIVE BIRTHS | | 293 | Birth Order | | Percent | Marital Status | | |
| | | | First | 116 | 40 | of Mother | Births | Percent |
| Crude Live Birth Rate | ude Live Birth Rate 11.5 | | Second Third Fourth or higher Unknown | 116 78 | 27 | Married | 198 | 68 |
| eneral Fertility Rate 62.8 | | Third | 61 | 21 | Not married | | 32 | |
| delicial for cliffy had | | 02.0 | Fourth or higher | 38 | 13 | Unknown | 0 | 0 |
| ive hinths with none | nt od | | Unknown | 00 | 10 | OHKHOWH | U | U |
| Live births with repo congenital anomalies | n teu | E 1 70. | UIKIIUWII | U | U | Education | | |
| congenital anomalies | | 5 1.7% | | | | Education | Diatha | D |
| | D: | | 4 . 5 | B: 11 | | | Births | Percent |
| elivery Type | Births | Percent | 1st Prenatal Visit | | | Elementary or le | ss 5 | 2 |
| Vaginal after | | | 1st trimester | 237 | 81 | Some high school | 47 | 16 |
| previous cesarean Forceps Other vaginal Primary cesarean | 3 | 1 | 2nd trimester | 45 | 15 | High school | 129 | 44 |
| Forceps | 4 | 1 | 3rd trimester | 8 | 3 | Some college | 57 | 19 |
| Other vaginal | 205 | 70 | No visits | 2 | 1 | College graduate | 54 | 18 |
| Primarv česarean | 50 | 17 | 1st trimester 2nd trimester 3rd trimester No visits Unknown | 1 | <.5 | Some high school High school Some college College graduate Unknown | 1 | <.5 |
| Repeat cesarean | 31 | 11 | _ · · · · · · · · | • | | ··· | • | . • |
| | 01 | | Prenatal Visits | Births | Percent | Smoking Status | | |
| irthweight | Births | Percent | No visits | 2 | 1 | of Mother | Births | Percen |
| <1 500 am | חדו נווס | י פו ספוור | 1-4 | 11 | 4 | Smoker | 92 | 31 |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 1 | 0.3 | 1-4 5-9 | 68 | | Nonsmoker | 92 201 | 69 |
| 1,500-2,499 gm | 9 | 3.1 | | | 23 | | | |
| 2,500+ gm | 283 | 96.6 | 10-12 | 111 | | Unknown | 0 | 0 |
| Unknown | 0 | 0 | 13+ | 100 | 34 | | | |
| | | | Unknown | 1 | <.5 | | | |
| | | | Low Birthweight | | Trimest | er of First Prenata | 1 Visit | |
| | | | (don 0 F00 am) | 1st Tr | imester | 2nd Trimester | Other | Unknown |
| ace/Ethnicity | Rirths F | Percent | Births Percent 9 3.2 | Rirths | Percent | Births Percent | Rirths | Percen |
| White | 278 | 05 | 0 32 | 220 | Percent 82 | Births Percent 40 14 | 9 | 3 |
| Dlack/Afn Amonican | 270 | 90 | 9 0.2 | 223 | | | 9 | 0 |
| Amonican Indian | 5 | 0 | | | 40 50 | 2 40 | i | 20 |
| American indian | 5 | 2 | | 2 | 40 50 | 2 40 | | 20 |
| Hispanic/Latino | 6 | 2 | 1 16.7 | 3 * | 50 | 2 33 * | 1 | 17 |
| Laotian/Hmong | 3 | 1 | * . | * | • | * . | * | |
| White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown | 1 | <.5 | * • | * | • | * . | * | • |
| | | | Low Birthweight | | Trimest | er of First Prenata | l Visit | |
| | Fe | ertility | (under 2.500 am) | 1st Tr | imester | 2nd Trimester | Other, | Unknown |
| ge of Mother | Births | Rate | Births Percent | Births | Percent | Births Percent | | Percen |
| <15 | 0 | | | 32. 2.10 | | | 22. 2/10 | |
| 15-17 | 6 | 12 67 143 | 1 16.7 | 4 | 67 | 2 33 | • | • |
| 18-19 | 24 | 67 | 1 10.7 | 20 | 83 | 3 13 | i | 4 |
| 20-24 | 97 | 1/2 | 2 2.1 | 71 | 73 | 22 23 | 4 | 4 |
| | | 1 10 | | | | | | 4 |
| 25-29 | 81 | | | 71 | 88 | 8 10 | 2 | 2 |
| 30-34 | 62 | 95 | 4 6.5 | 52 | 84 | 6 10 | 4 | 6 |
| 35-39 | 18 | 22 | | 15 | 83 | 3 17 | | |
| 40+ | 5 | 5 | | 4 | 80 | 1 20 | | |
| Unknown | 0 | | | | • | | | • |
| Teenage Births | 30 | 35 | * Data not | reported | l if age or | race category has 1 | ess than 5 | 5 birth |

| MORBIDITY | Note: Death rates (| except in | nfant) are | PRTALITYper 100,000 population. rates are per 1,000 li | Infant. | |
|--|--------------------------------|-------------|------------|---|--------------|------------|
| REPORTED CASES OF SELECTED DISEASES* | Perinataĺ and | l fetal de | eath rates | are per 1,000 live birt culated for fewer than | hs plus | |
| Disease Number | TOTAL DEATHS | | 279 | Selected | | |
| Campylobacter Enteritis C | or age beach he | ite | 1,093 | Underlying Cause | Deaths | Rate |
| Giardiasis 6 | 1 | | | Heart Disease (total) | | 258 |
| Hepatitis Type A | 1 | | | Ischemic heart disea | | 188 |
| Hepatitis Type B** | | Deaths | Rate | Cancer (total) | 76 | 298 133 |
| Hepatitis NÁNB/C 17 Legionnaire's 0 | | i | • | Trachea/Bronchus/Lur Colorectal | ig 34 3 | |
| Lyme 9 | | 3 | | Female Breast | 5 5 | .* |
| Measles 0 | | 4 | • | Cerebrovascular Disea | | • " |
| Meningitis, Aseptic <5 | | 20 | 262 | Lower Resp. Disease | | 86 |
| Meningitis, Bacterial | | 32 | 1,033 | Pneumonia & Influenza | | |
| Mumps C | 65-74 | 55 | 2,485 | Accidents | 16 | |
| Pertussis 21 | | 67 | 4,646 | Motor vehicle | 6 | |
| Salmonellosis 6 | | 97 | 15,824 | Diabetes | 8 | |
| Shigellosis | I | | | Infect./Parasitic Dis | 6 | |
| Tuberculosis 0 | | | | Suicide | 6 | • |
| * 2004 provisional data. | Infant Mortality | Deaths | Rate | * Based on female pop | ulation | |
| ** Includes all positive HBsAg | Total Infant | Deatiis | nate | " Based on Temate pop | ulation. | |
| test results. | Neonatal | • | • | ALCOHOL AND DRUG ABUS | E AS LINDERI | I YTNG |
| | Postneonatal | | | OR CONTRIBUTING CA | | |
| | Unknown | | | | | |
| Sexually Transmitted Disease | | | | Alcohol | 2 | |
| Chlamydia Trachomatis 60 | | | | Tobacco Use | | 337 |
| Genital Herpes <5 | I | | | Other Drugs | 3 | • |
| Gonorrhea <5 | | • | • | | | |
| Syphilis C | IIIOpaiiIO | • | • | MOTOR VEHIC | I COACUEC | |
| | Laotian/Hmong Other/Unknown | • | • | MOTOR VEHIC | LE CRASHES | |
| | Other / Orknown | • | • | Note: These data are | hased on 1 | ncation |
| IMMUNIZATIONS | - Birthweight | | | of crash, not | | |
| | <1,500 gm | | | Í | | |
| Children in Grades K-12 by | 1,500-2,499 gm | | | Type of Motor | Persons I | Persons |
| Compliance Level | 2,500+ gm | | | Type of Motor Vehicle Crash Total Crashes | Injured | |
| Compliant 4,326 Non-compliant 34 | Unknown | | | Total Crashes Alcohol-Related With Citation: | 303 | 8 |
| Non-compliant 34 | Danier + - 1 | | | Alcohol-Related | 44 | 3 |
| Percent Compliant 99.2 | Perinatal Mortality | Dootho | Do+o | With Citation: For OWI | 28 | 0 |
| | Total Perinatal | Deaths 2 | | For Speeding | 28 71 | 0 0 |
| | Neonatal | 2 | • | For Speeding Motorcyclist | 16 | 1 |
| | Neonatal Fetal | 2 | • | Bicyclist | 6 | 1 |
| | 1 | _ | • | Pedestrian | 4 | Ó |

| | | Per | Average | | Charge | | | | Average | | Charge |
|-----------------|-----------|---|---------|--------------------------|-------------|------------------------------|-----------|---------|----------|---------------|---------------|
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Р́ор | (Days) | Charge | Capita | AGE GROUP | Number | Р́ор | (Days) | | Capita |
| injury-Related: | : All | | | | | Alcohol-Related | | | | | |
| Ťotál | 338 | 13.2 | 4.6 | \$20,897 | \$277 | Total | 52 | 2.0 | 4.3 | \$7,905 | \$16 |
| <18 | 33 | 5.8 | 2.2 | \$11,942 | \$69 | 18-44 | 24 | 2.8 | 3.6 | \$7,058 | \$20 |
| 18-44 | 83 | 9.7 | | \$23,858 | \$232 | 45-64 | 21 | 3.0 | 5.3 | \$9,022 | \$27 |
| 45-64 | 83 | 11.8 | 4.7 | | \$277 | Pneumonia and I | | | | +-, | |
| 65+ | 139 | 32.6 | 5.3 | | \$643 | Total | 124 | 4.9 | 4.4 | \$11,720 | \$57 |
| Injury: Hip F | | | | + · · · , · · · · | * | <18 | 9 | • | | | |
| Total | 29 | 1.1 | 5.8 | \$25,816 | \$29 | 45-64 | 15 | | | | - |
| 65+ | 26 | 6.1 | 6.3 | | \$161 | 65+ | 91 | 21.3 | 5.0 | \$12,867 | \$274 |
| Injury: Poiso | | • • • • | | +== , | 4.5. | Cerebrovascular | | | | Ţ. _ , | +- |
| Total | 17 | _ | _ | _ | | Total | 86 | 3.4 | 3.2 | \$14,816 | \$50 |
| 18-44 | 6 | | - | - | • | 45-64 | 22 | 3.1 | 2.8 | | \$43 |
| | _ | - | - | - | - | 65+ | 58 | 13.6 | 3.2 | \$13,878 | \$189 |
| sychiatric | | | | | | Chronic Obstruc | | | | , | Ψ |
| Total | 170 | 6.7 | 7.8 | \$8,863 | \$59 | To+o1 | 101 | 4.0 | | \$10,430 | \$41 |
| <18 | 29 | 5.1 | 7.4 | \$6,513 | \$33 | <18 18-44 45-64 65+ | 7 | | | • | • |
| 18-44 | 73 | 8.6 | 8.4 | \$8,679 | \$74 | 18-44 | 7 | - | - | | - |
| 45-64 | 42 | 6.0 | 8.5 | \$11,241 | \$67 | 45-64 | 21 | 3.0 | 3.8 | \$10,411 | \$31 |
| 65+ | 26 | 6.1 | 5.5 | \$8,162 | \$50 | 65+ | 66 | 15.5 | | \$11,499 | \$178 |
| | _0 | • | 0.0 | Ψο, .σΞ | ΨΟΟ | Drug-Related | | 1010 | | Ψ, .σσ | Ψ |
| Coronary Heart | Disease | | | | | Total | 14 | | _ | _ | _ |
| Total | 237 | 9.3 | 3.1 | \$26,152 | \$243 | 18-44 | | | | | |
| 45-64 | 90 | 12.8 | 2.7 | \$26,036 | \$334 | | _ | - | - | - | - |
| 65+ | | 31.4 | 3.4 | | \$824 | Total Hospitali | zations | | | | |
| 00 - | 101 | 0111 | 011 | Ψ20,200 | Ψ02 Ι | Total | | 155.5 | 3.8 | \$13,032 | \$2.027 |
| Malignant Neopl | asms (Car | cers): | A11 | | | <18 | 535 | 93.5 | 2.8 | \$5,312 | \$497 |
| Total | 141 | 5.5 | 5.7 | \$21,739 | \$120 | 18-44 | 969 | 113.5 | 2.9 | \$9,849 | \$1,118 |
| 18-44 | 12 | | - | Ψ21,700 | Ψ120 | 45-64 | | 128.2 | | \$16,039 | \$2,057 |
| 45-64 | 48 | 6.8 | 5.8 | \$23,661 | \$162 | 65+ | 1,568 | | 4.5 | \$15,910 | \$5,845 |
| 65+ | 78 | 18.3 | | \$19,128 | \$350 | | ., | 00711 | | Ψ.σ,σ.σ | Ψο,ο.ο |
| Neoplasms: Fe | | | | | | PR | EVENTABLE | HOSPIT | AL TZATT | ONS* | |
| | 9 | | | | | Total | 616 | 24.1 | | \$10,170 | \$245 |
| Neoplasms: Co | | L | • | • | • | <18 | 43 | 7.5 | 2.0 | \$4,623 | \$35 |
| Total | 20 | 0.8 | 6.6 | \$25,828 | \$20 | 18-44 | 76 | 8.9 | 2.1 | \$5,789 | \$52 |
| 65+ | 12 | | | , | | 45-64 | 134 | 19.1 | | \$10,815 | \$207 |
| Neoplasms: Lu | | • | • | • | • | 65+ | 363 | 85.1 | 4.2 | \$11,507 | \$979 |
| Total | 28 | 1.1 | 6.1 | \$19,198 | \$21 | 55 | 000 | 2311 | | Ţ,OO, | ψ0,0 |
| Diabetes | | | | | | * Hospitalizations | for cond | itions | where t | imelv and | effecti |
| Total | 42 | 1.6 | 3.6 | \$11,915 | \$20 | ambulatory care ca | n reduce | the lik | celihood | of hospi | talizat |
| 65+ | 17 | | | | | | | | | - / / | |
| | | = | = | = | = | | | | | | |